# **Product Specifications & Technical Details**

Token2 - security is easy



# **Product Details**



### Molto-2-v2 Multi-profile TOTP Programmable hardware token

A revised version of our popular multi-profile USB-programmable TOTP hardware token that can now hold up to 100 TOTP accounts. The profiles can be provisioned/configured via USB using one of our Molto-2 USB Config tools. Molto-2-v2 also has additional features such as OTP shown as a QR image and HID/Keyboard emulation feature.

- RFC 6238 compliant
- supports up to 100 accounts/profiles
- USB-programmable with the USB Config tool
- USB keyboard emulation (USB cable included)
- Two display modes: with one TOTP profile per screen and with five TOTP profiles per screen
- RTC battery life: 8 years
- LCD screen battery: 3-4 months (rechargeable)
- Designed, engineered and programmed in Switzerland

### **Specifications**

Dimensions	74x53x12.9 mm
------------	---------------

TOTP Profiles	up to 100	
Programmable	via USB, Windows app or cross-platform Python script	
Time sync	Yes <sup>1</sup>	
Time step	30 or 60 seconds	
Hash algorithm	SHA1 or SHA256	
Protection	<ul> <li>Configuration password</li> <li>Screen security lock feature (v2.1 or newer)</li> </ul>	
OTP Length	4, 6, 8 or 10 digits	
OTP Entry	Manual, HID-emulation <sup>2</sup> or by scanning QR code <sup>3</sup> (in Mode1 only)	

<sup>&</sup>lt;sup>1</sup> - Time synchronization is performed using one of the USB configuration tools. The expected time drift is between 1 and 30 seconds per year (depending on ambient temperature), and a periodic sync of the system clock may be required (i.e., every 1 or 2 years, depending on the drift tolerance of the authentication system).

# Migrate from mobile apps

Token2 programmable hardware tokens can be used as drop-in replacement of TOTP mobile apps. Token2 has developed solutions to migrate from apps like <a href="Google Authenticator">Google Authenticator</a> and <a href="Authy">Authy</a> to any of our hardware tokens (or mobile apps).

# **Functionality overview**

www.token2.swiss support@token2.com +41225196202

<sup>&</sup>lt;sup>2</sup> - HID functionality will allow sending the current OTP via keyboard emulation when connected over USB. Instead of entering the OTP manually, pressing the 'M' button is sufficient.

<sup>&</sup>lt;sup>3</sup> - The current OTP will be displayed as a QR image. This is useful when automating OTP entry on a different system (e.g., a mobile app) to avoid typing errors. An example where this is particularly useful is EVV (Electronic Visit Verification).



Starting September 2025, all Molto2 devices will come with a USB-C port only, in accordance with Directive (EU) 2022/2380.

# **Product Images**







# **Summary**

Model Number	Molto-2 v2
Form-factor	Cuboid with a TFT Screen
Functions	TOTP configurable
Dimensions	74×53×12.9 mm
Weight	40 gr
	yes <u>100</u> profiles
Programmable	
	config protection password HID/Keyboard emulation
Product ID	T2-72

PDF generated on 30th of November 2025 01:46:32 PM

# **Product page**

https://www.token2.com/shop/product/molto-2-v2-multi-profile-totp-programmable-hardware-token

www.token2.swiss support@token2.com +41225196202



### **About Token2**

Token2 is a cybersecurity company specialized in the area of multifactor authentication. Founded by a team of researchers and graduates from the University of Geneva with years of experience in the field of strong security and multifactor authentication, Token2 has invented, designed and developed various hardware and software solutions for user-friendly and secure authentication. Token2 is headquartered in Geneva, Switzerland

Token2 is a member of FIDO Alliance and swiss made software label





swiss made software

#### **Contact Details**

Email: support@token2.com

Phone: +41 22 519 62 02

Address: La Voie-Creuse 3B 1202 Geneva, Switzerland

